-2-

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1 and 2 (Canceled).

3. (Currently Amended) A compound of formula (Ia) or a pharmaceutically acceptable salt thereof:

$$A-X$$

$$\begin{pmatrix} R3 \\ N \\ Z \end{pmatrix}_{p}$$

$$\begin{pmatrix} R2 \\ p \\ \end{pmatrix}_{p}$$

$$(Ia)$$

wherein:

A is a bicyclic 6,5 or 6,6 heteroaromatic group which is optionally substituted by 1 - 4 substituents, which substituents may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, trifluoromethyl, trifluoromethoxy, C_{1-6} alkyl, trifluoromethanesulfonyloxy, pentafluoroethyl, C_{1-6} alkoxy, aryl C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkoxy C_{1-6} alkyl, C_{3-7} cycloalkyl C_{1-6} alkoxy, C_{1-6} alkanoyl, C_{1-6} alkoxycarbonyl, C_{1-6} alkylsulfonyl, arylsulfonyl, arylsulfonyloxy, C_{1-6} alkylsulfonamido, C_{1-6} alkylsulfonamido, arylcarboxamido, aroyl, aryl C_{1-6} alkanoyl, and a group Ar^{1} -B, wherein B represents a single bond, C_{3-6} or C_{3-6} and C_{3-6} represents a phenyl or a monocyclic heteroaromatic group, said C_{3-6} group being optionally substituted by 1 - 3 substituents, which may be the same or different, and which are selected from the group consisting of a halogen, hydroxy, cyano, trifluoromethyl, C_{3-6} alkyl, C_{3-6} alkoxy or C_{3-6} alkanoyl;

R1 is hydrogen, C1-6alkyl, haloC1-6alkyl, C3-7cycloalkyl, C3-7cycloalkyl
C1-6alkyl, C3-6alkynyl or arylC1-6alkyl;

R2 is independently halogen, C_1 -6alkyl, cyano, halo C_1 -6alkyl, C_1 -6alkanoyl, C_1 -6alkoxy or hydroxy;

p is 0, 1 or 2;


- R3 (a) is a group -(R4)r wherein R4 is selected from the group consisting of: C_{1-6} alkyl, halogen, hydroxy, oxo, cyano, nitro, C_{1-4} alkoxy, halo C_{1-4} alkyl, halo C_{1-4} alkoxy, aryl C_{1-4} alkoxy, C_{1-4} alkylthio, hydroxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkoxy, C_{1-4} alkanoyl, C_{1-4} alkoxycarbonyl, C_{1-4} alkylsulfonyloxy, C_{1-4} alkylsulfonyl C_{1-4} alkyl, arylsulfonyloxy, arylsulfonyl C_{1-4} alkyl, C_{1-4} alkylsulfonamido, C_{1-4} alkylamido, C_{1-4} alkylsulfonamido C_{1-4} alkyl, C_{1-4} alkylamido C_{1-4} alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamido C_{1-4} alkyl, arylcarboxamido C_{1-4} alkyl, aroyl, aroyl C_{1-4} alkyl, aryl C_{1-4} alkanoyl, C_{1-4} acyl, aryl, aryl C_{1-4} alkyl, C_{1-4} alkylamino C_{1-4} alkyl and a group R30R31N- (where each of R30 and R31 independently represents a hydrogen atom or a C_{1-4} alkyl group or where appropriate R30R31 forms part of a C_{3-6} azacyloalkane or C_{3-6} (2-oxo)azacycloalkane ring), and r is 0, 1, 2 or 3; or
- (b) forms a bridge across the ring, the bridge consisting of a chain of 1 to 3 atoms, the bridge being optionally substituted by one, two or three groups selected from halogen, oxo, $C_{1\text{-}6}$ alkyl, cyano, halo $C_{1\text{-}6}$ alkyl, $C_{1\text{-}6}$ alkanoyl, $C_{1\text{-}6}$ alkoxy or hydroxy; or
- (c) is a chain of 1 to 3 atoms optionally substituted by halogen, C_1 -6alkyl, cyano, halo C_1 -6alkyl, C_1 -6alkanoyl, C_1 -6alkoxy or hydroxy, the other end of the chain being attached to an available carbon atom in Z;

X is CH, N or C;

represents a single bond when X is CH or N; and represents a double bond when X is C;

q is 0, 1 or 2, wherein when q is 0, X is not N; and

Z is attached to the 6-position or the 8-position of the benzoxazinone group and is a 3 to 7 membered cycloalkylene group, 3 to 7 membered cycloalkenylene group, -(CH=CH)- or a group



wherein m and n are independently 0, 1 or 2, and Y is a single bond, 3 to 7 membered cycloalkylene group, 3 to 7 membered cycloalkenylene group, -(CH=CH)-, -C(=O)-, -C(=CH₂)-, oxygen, or a methylene group optionally substituted by one or two groups selected from halogen, C₁-6alkyl, cyano, haloC₁-6alkyl, C₁-6alkanoyl, C₁-6alkoxy or hydroxy; provided that when Λ is naphthyl, 5,6,7,8 tetrahydronaphthyl or 2,3-dihydoindene, Z is not-(CH₂CH(OH))-, (CH₂CH₂CH(OH))- or-(CH₂C(=O)).

- 4. (Currently Amended) [[A]] <u>The</u> compound <u>or salt</u> as claimed in claim [[1]] <u>3</u>, wherein R1 is hydrogen or methyl.
- 5. (Currently Amended) [[A]] <u>The compound or salt</u> as claimed in claim [[1]] <u>3</u>, wherein R3 is methyl.
- 6. (Currently Amended) [[A]] The compound or salt as claimed in claim [[1]] 3, wherein X is CH or N and is a single bond.
- 7. (Currently Amended) [[A]] <u>The compound or salt</u> as claimed in claim [[1]] <u>3</u>, wherein q is 1.
- 8. (Currently Amended) [[A]] The compound or salt as claimed in claim [[1]] $\underline{3}$, wherein Z is -(CH₂)₂- or -(CH₂)[[3]]_{$\underline{3}$}-.
- 9. (Currently Amended) [[A]] <u>The compound or salt</u> as claimed in claim [[1]] <u>3</u>, wherein A is indolyl, quinolyl, quinazolinyl or 2,3-dihydrobenzodioxinyl.
- 10. (Currently Amended) [[A]] <u>The</u> compound <u>or salt</u> as claimed in claim [[1]] <u>3</u>, wherein A is substituted by 1 to 4 substituents selected from the group consisting of halogen (particularly fluoro or chloro), C₁-6alkyl (particularly methyl, ethyl and propyl), cyano, CF₃, C₁-6alkoxy (particularly methoxy, ethoxy or isopropoxy) or C₁-6alkanoyl.

- 11. (Currently Amended) [[A]] <u>The compound or salt</u> as claimed in claim 10, wherein A is selected from the group consisting of 5-quinolyl(2-Me), 5-quinolyl(2-Me, 7-Cl), 5-quinolyl(2-Me, 7-F), [[and]] 5-quinazolinyl(2-Me), 5-quinolyl(2-Me, 7-Me), 5-dihydrobenzo[1,4]dioxinyl, 8-quinolyl(6-methoxy), 8-quinolyl, 4-indolyl and 4-indolyl(2-Me).
- 12. (Currently Amended) [[A]] <u>The</u> compound as claimed in claim [[1]] <u>3</u>, which is selected from the group consisting of:
- 6-{2-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(2,7-Dimethylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4] oxazin-3-one;$
- 6-{2-[4-(7-Chloro-2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1,4]oxazin-3-one;
- 6-[2-(4-Quinolin-4-ylpiperazin-1-yl)ethyl]-4H-benzo[1.4]oxazin-3-one;
- 6-{2-[4-(2-Methylquinazolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(2,3-\text{Dihydrobenzo}[1,4]\text{dioxin-5-yl})\text{piperazin-1-yl}]\text{ethyl}\}-4H-\text{benzo}[1.4]\text{oxazin-3-one};$
- 6-{2-[4-(6-Methoxyquinolin-8-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- 6-[2-(4-Quinolin-8-yl)piperazin-1-yl)ethyl]-4H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(1H-Indol-4-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4]$ oxazin-3-one;
- $6-\{2-[4-(7-Chloro-2-methylquinolin-5-yl)piperazin-1-yl] ethyl\}-7-fluoro-4\textit{H}-benzo[1,4] oxazin-3-one; \\$
- $4-Methyl-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-one;$
- 6-{2-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]ethanoyl}-4H-benzo[1.4]oxazin-3-one;
- 6-{1-Hydroxy-2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(2-Methyl-4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-one;\\$
- 6-{2-[3-Methyl-4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- 6-{2-[2-Methyl-4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(2-Methylquinolin-5-yl)-3,6-dihydro-2H-pyridin-1-yl]ethyl\}-4H-benzo[1,4]$ oxazin-3-one;
- 6-{2-[4-(2-Methylquinolin-5-yl)piperidin-1-yl]ethyl}-4-H-benzo[1,4]oxazin-3-one;
- $6-\{2-[4-(2-Methylquinolin-5-yl)-[1,4]diazepan-1-yl]ethyl\}-4H-benzo[1,4]oxazin-3-one;$

 $6-\{2-[4-(2-Methylquinazolin-5-yl)-[1,4]diazepan-1-yl]ethyl\}-4H-benzo[1,4]oxazin-3-one;$ $7-Fluoro-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-; \\ 2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-; \\ 2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-; \\ 2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4] oxazin-3-; \\ 2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl]-4H-benzo[1.4] oxazin-3-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl]-4H-benzo[1.4] oxazin-3-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl]-4H-benzo[1.4] oxazin-3-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyllapiperazin-1-yl]ethyllapiperazin-1-yl]ethyllapiperazin-1-yl[4-(2-methyllapiperazin-1-yl]ethyllapiperazin-1-yl[4-(2-methyllapiperazin-1-yl]ethyllapiperazin-1-yl[4-(2-methyllapiperazin-1-yl[4-(2-methyllapiperazin-1-yl[4-(2-methylla$ 6-{3-[4-(2-Methylquinolin-5-yl)-piperazin-1-yl]-propyl}-4H-benzo[1,4]-oxa-zin-3-one; 6-{3-[4-(7-Fluoro-2-methylquinolin-5-yl)piperazin-1-yl]-propyl}-4H-benzo-[1,4]oxazin-3-one; $6-\{3-[4-(2-Methylquinolin-5-yl)-piperazin-1-yl]-propanoyl\}-4H-benzo[1,4]-oxa-zin-3-one;$ 6-{1-Hydroxy-3-[4-(2-methylquinolin-5-yl)-piperazin-1-yl]-propyl}-4H-benzo-[1,4]oxazin-3one; $6-\{(E)-3-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]propenyl\}-4H-benzo[1,4]-oxa-zin-3-one; \\$ 6-{4-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]butyl}-4H-benzo[1,4]oxazin-3-one; $6-\{4-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]-cyclohex-1-enyl\}-4H-benzo[1,4]-oxazin-3-one;\\$ $6-\{4-[4-(2-Methylquinazolin-5-yl)piperazin-1-yl]butyl\}-4H-benzo[1,4] oxazin-3-one; \\$ 6-{2-[4-(2-Methylquinolin-5-yl)piperazin-1-yl]ethoxy}-4-H-benzo[1,4]oxazin-3-one; 4-Methyl-6-{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethoxy}-4-H-benzo[1,4]oxazin-3-one; $7-Fluoro-6-\{2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4] oxazin-3-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl-2-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-methylquinolin-5-[4-(7-fluoro-2-me$ one; 6-{2-[4-(7-fluoro-2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4H-benzo[1,4]oxazin-3-one; $7-Fluoro-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethanoyl\}-4\textit{H-benzo}[1,4] oxazin-3-one;$ $6-\{1-Hydroxy-2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4]-oxazin-3-one; \\$ $6-\{1-Methoxy-3-[4-(2-methylquinolin-5-yl)piperazin-1-yl]propyl\}-4H-benzo[1,4]-oxazin-3-one; \\$ $6-\{2-[4-(2-Methyl-1 H-indol-4-yl)piperazin-1-yl]-ethyl\}-4 H-benzo-[1,4] oxazin-3-one;$ 6-{2-[4-(5,6,7,8-Tetrahydronaphthalen-1-yl)piperazin-1-yl]ethyl}-4H-benzo-[1,4]oxazin-3-one 6-[2-(4-Naphthalen-1-ylpierazin-1-yl)ethyl]-4H-benzo[1.4]oxazin-3-one hydrochloride salt $6-\{1-Fluoro-2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4]-oxazin-3-one; \\$ 6-{1-Fluoro-3-[4-(2-methylquinolin-5-yl)piperazin-1-yl]propyl}-4H-benzo[1,4]-oxazin-3-one; $5-Fluoro-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1.4]-oxazin-3-one;$ $5-Fluoro-4-methyl-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4]-oxazin-1-yl]ethyl-4H-benzo[1,4]-oxazin-1-yl-benzo[$ 3-one; 6-{2-[4-(7-Chloro-2-methylquinolin-5-yl)piperazin-1-yl]ethyl}-4-methyl-4H-benzo-[1,4]-oxazin-3-one;

- $4-Ethyl-6-\{2-[4-(2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4H-benzo[1,4]-oxazin-3-one; \\$
- $6-\{2-[4-(7-Fluoro-2-methylquinolin-5-yl)piperazin-1-yl]ethyl\}-4-methyl-4H-benzo-[1,4]-oxazin-3-one;$
- 6-{1-(Methyloxy)-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{1-Amino-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\ N-[2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]-1-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-methyl-1-piperazinyl)-1-(3-oxo-3,4-$

yl)ethyl]acetamide;

- $6-\{1-(Methylamino)-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\$
- 6-[2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]-1-(phenyloxy)ethyl]-2H-1,4-benzoxazin-3(4H)-one;
- [2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]-1-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)ethyl]formamide;
- 6-{1-Hydroxy-1-methyl-3-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]propyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{1-Hydroxy-1-methyl-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\$
- $6-\{(1E)-1-Methyl-3-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]-1-propen-1-yl\}-2H-1, 4-benzoxazin-3(4H)-one; \\$
- $6-(1-\{2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl] ethyl\} ethenyl)-2H-1, 4-benzoxazin-3(4H)-one; \\$
- $6-(1-\{[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]methyl\} ethenyl)-2H-1, 4-benzoxazin-3(4H)-one;\\$
- 2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]-1-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)ethyl acetate;
- 6-{1-Hydroxy-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{[4-(8-Quinolinyl)-1-piperazinyl]methyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{2-[(1S,4S)-5-(2-Methyl-5-quinolinyl)-2,5-diazabicyclo[2.2.1]hept-2-yl]ethyl\}-2H-1,4-benzoxazin-3(4H)-one;$

- 6-{2-[4-(2-Quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;
- 6-{3-[4-(2-Quinolinyl)-1-piperazinyl]propyl}-2H-1,4-benzoxazin-3(4H)-one;
- 6-{2-[4-(6-Chloro-2-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;
- 6-{2-[4-(6-Nitro-2-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{2-[4-(7-Methyl-1,8-naphthyridin-4-yl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- $6-\{2-[4-(1,6-Naphthyridin-5-yl)-1-piperazinyl]ethyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- 6-{2-[4-(2-Phenylquinolin-5-yl)piperazin-1-yl]ethyl}-4*H*-benzo[1.4]oxazin-3-one;
- 6-{[4-(7-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{2-[4-(7-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-2H-1, 4-benzoxazin-3(4H)-one; \\$
- $6-\{1-Fluoro-2-[4-(7-fluoro-2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\$
- $8-Fluoro-6-\{2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1, 4-benzoxazin-3(4H)-one;\\$
- 8-Fluoro-6-{[4-(2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-2H-1,4-benzoxazin-3(4H)-one;
- 8-Fluoro-6- $\{1-\text{hydroxy-}2-[4-(2-\text{methyl-}5-\text{quinolinyl})-1-\text{piperazinyl}\}$ -2H-1,4-benzoxazin-3(4H)-one;
- $8-Fluoro-6-\{1-fluoro-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\$
- $8-Fluoro-6-\{2-[4-(7-fluoro-2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1, 4-benzoxazin-3(4H)-one;$
- 8-Fluoro-6-{[4-(7-fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-2H-1,4-benzoxazin-3(4H)-one;
- 8-Fluoro-6-{2-[4-(7-fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl}-2H-1,4-benzoxazin-3(4H)-one;
- 6-{[4-(8-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-2*H*-1,4-benzoxazin-3(4*H*)-one;
- $6-\{2-[4-(8-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- 6-{2-[4-(8-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 4-Methyl-8-{2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;

8-{2-[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{2-[4-(7-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-7-fluoro-2H-1,4-benzoxazin-3(4H)-one; $6-\{2-[(2S)-2-Methyl-4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1, 4-benzoxazin-3(4H)-1-piperazinyl] ethyl-2H-1, 4-benzoxazin-3(4H)-1-piperazinyl] ethyl-3H-1, 4-benzoxazin-3(4H)-1-piperazinyla ethyl-3H-1, 4-benzoxazin-3(4H)-1-piperazinyla ethyl-3H-1, 4-benzoxazin-3(4H)-1-piperazinyla ethyl-3H-1, 4-benzoxazin-3(4H)-1-piperazin-3(4H)-1$ one; $6-\{2-[(2R)-2-Methyl-4-(2-methyl-5-quinolinyl)-1-piperazinyl] ethyl\}-2H-1, 4-benzoxazin-3(4H)-1-piperazinyl] ethyl-2H-1, 4-benzoxazin-3(4H)-1-piperazinyl] ethyl-3-piperazinyl| ethyl-2H-1, 4-benzoxazin-3(4H)-1-piperazinyl| ethyl-3-piperazinyl| ethy$ one; 6-{2-[4-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{2-[4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one 6-{2-[4-(7-bromo-1H-indol-4-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; $6-\{3-[4-(7-bromo-1H-indol-4-yl)-1-piperazinyl]propyl\}-2H-1, 4-benzoxazin-3(4H)-one;\\$ 6-{2-[4-(1-isoquinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; ethyl 5-{4-[2-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)ethyl]-1-piperazinyl}-1-benzofuran-2carboxylate; 6-{2-[4-(1,2-dihydro-5-acenaphthylenyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one 6-{2-[4-(5-fluoro-1H-indol-3-yl)-1-piperidinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{2-[4-(5-chloro-1H-indol-4-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{2-[4-(6-chloro-1H-indol-4-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; $6-\{2-[4-(1H-pyrrolo[2,3-b]pyridin-4-yl)-1-piperazinyl] ethyl\}-2H-1, 4-benzoxazin-3(4H)-one;\\$ 6-{2-[4-(7-chloro-1H-indol-4-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one; 6-{3-[4-(1H-pyrrolo[2,3-b]pyridin-4-yl)-1-piperazinyl]propyl}-2H-1,4-benzoxazin-3(4H)-one; $6-\{3-[4-(5-chloro-1H-indol-4-yl)-1-piperazinyl] propyl\}-2H-1, 4-benzoxazin-3(4H)-one;\\$ $6-\{2-[4-(5-methylthieno[2,3-d]pyrimidin-4-yl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-1-piperazinyl]$ one; $6-(\{2-[4-(2-methyl-5-quinazolinyl)-1-piperazinyl]ethyl\}oxy)-2H-1, 4-benzoxazin-3(4H)-one;\\$ 6-{2-[4-(7-Chloro-2-methylquinolin-5-yl)piperazin-1-yl]ethanoyl}-4H-benzo[1.4]oxazin-3-one; 6-{2-[4-(7-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl}-2H-1,4-benzoxazin-3(4H)-one;

- $6-\{2-[4-(7-Chloro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-fluoroethyl\}-2H-1, 4-benzoxazin-3(4H)-one; \\$
- 6-{3-[4-(2,2-Dimethyl-2,3-dihydro-1-benzofuran-7-yl)-1-piperazinyl]propyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{2-[4-(2,2-dimethyl-2,3-dihydro-1-benzofuran-7-yl)-1-piperazinyl]$ ethyl $\}-2H-1,4-benzoxazin-3(4H)-one;$
- $\label{eq:continuous} $$4-$Methyl-6-{[4-(1$H-pyrrolo[2,3-$b]pyridin-3-yl)-3,6-dihydro-1(2H)-pyridinyl]acetyl}-2$H-1,4-benzoxazin-3(4$H$)-one;$
- 6- $\{1-\text{hydroxy-}2-[4-(1H-\text{pyrrolo}[2,3-b]\text{pyridin-}3-\text{yl})-3,6-\text{dihydro-}1(2H)-\text{pyridinyl}]-4-\text{methyl-}2H-1,4-\text{benzoxazin-}3(4H)-\text{one};$
- $6-\{[4-(2-Methyl-5-quinolinyl)-1-piperazinyl]methyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- 4-methyl-6- $\{[4-(2-methyl-5-quinolinyl)-1-piperazinyl]acetyl\}-3,4-dihydro-2<math>H$ -1,4-benzoxazin-2-one;
- $\label{lem:conditional} 4-Methyl-6-(1-\{[4-(2-methyl-5-quinolinyl)-1-piperazinyl]methyl\} ethenyl)-3, 4-dihydro-2\emph{H}-1, 4-benzoxazin-2-one;$
- $6-(2-Hydroxy-1-\{[4-(2-methyl-5-quinolinyl)-1-piperazinyl]methyl\}$ ethyl)-4-methyl-3,4-dihydro-2*H*-1,4-benzoxazin-2-one:
- 6-{[4-(6-fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-2H-1,4-benzoxazin-3(4H)-one;
- $6-\{2-[4-(6-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- $6-\{1-Hydroxy-2-[4-(2-methyl-5-quinolinyl)-1-piperazinyl]ethyl\}-4-methyl-2$ *H*-1,4-benzoxazin-3(4*H*)-one;
- 6-{[4-(8-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl}-4-methyl-2*H*-1,4-benzoxazin-3(4*H*)-one;
- 6- $\{2-[4-(8-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-4-methyl-2$ *H*-1,4-benzoxazin-3(4*H*)-one:
- $6-\{[4-(6-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]acetyl\}-4-methyl-2<math>H$ -1,4-benzoxazin-3(4H)-one;

- $6-\{2-[4-(6-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-4-methyl-2<math>H$ -1,4-benzoxazin-3(4H)-one:
- 4-Methyl-6- $\{2-[4-(2-methyl-5-quinolinyl)hexahydro-1$H-1,4-diazepin-1-yl]ethyl\}-2$H-1,4-benzoxazin-3(4$H$)-one;$
- $\begin{tabular}{ll} 4-Methyl-6-\{2-[3-methyl-4-(2-methyl-5-quinolinyl)-1-piperazinyl]ethyl\}-2$H-1,4-benzoxazin-3(4$H$)-one; \end{tabular}$
- $6-\{2-[4-(8-Chloro-2-methylquinolin-5-yl)-piperazine-1-yl]-ethyl\}-4-methyl-4H-benzo [1,4] oxazine-3-one;$
- $6-\{2-[4-(8-Fluoro-2-methyl[[-]]quinolin-5-yl)-piperazine-1-yl]-ethyl\}-4-methyl-4H-benzo [1,4] oxazine-3-one; \\$
- $6-\{2-[4-(2-Methyl-1H-indol-4-yl)piperazin-1-yl]ethanoyl\}-4H-benzo[1.4] oxazin-3-one;$
- $6-\{1-Hydroxy-2-[4-(2-methyl-1H-indol-4-yl)piperazinyl] ethyl\}-2H-benzo[1.4] oxazin-3-one;$
- 6-{1-Fluoro-2-[4-(2-methyl-1H-indol-4-yl)piperazinyl]ethyl}-2H-benzo[1.4]oxazin-3-one;
- $6-\{2-[4-(7-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-2-H-1, 4-benzoxazin-3-(4H)-one; \\$
- 6-{2-[4-(2-Methyl-5-quinolinyl)-1-piperadinyl}-ethanoyl}-2H-1,4-benzoxazin-3(4H)-one;
- 6-{1-Hydroxy-2-[4-(2-methyl-5-quinolinyl)-1-piperadinyl}-ethyl}-2*H*-1,4-benzoxazin-3(4H)-one;
- 6-{2-[4-(7-Fluoro-2-methylquinolin-5-yl)piperidin-1-yl]ethyl}-4-H-benzo[1,4]-oxazin-3-one;
- $6-\{2-[4-(6-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]-1-hydroxyethyl\}-2H-1,4-benzoxazin-3(4H)-one;$
- 6{2-[4(8-Fluoro-2-methyl-5-quinolinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3-(4H)-one;
- 6-{2-[4-2-Quinoxalinyl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3-(4H)-one;
- 4-Methyl-8- $\{2-[(2R)-2-methyl-4-(2-methyl-5-quinolinyl)-1-piperazinyl]$ ethyl $\}-2H-1,4-benzoxazin-3(4H)-one;$
- 4-Methyl-8- $\{2-[(2S)-2-methyl-4-(2-methyl-5-quinolinyl)-1-piperazinyl\}$ ethyl $\}-2H-1,4-$ benzoxazin-3(4H)-one;
- $6-\{2-[4-(7-Chloro-2,3-dihydro-1,4-benzodioxin-5-yl)-1-piperazinyl]ethyl\}-2H-1,4-benzoxazin-3(4H)-one;$

 $6-\{2-[4-(7-Fluoro-2,3-dihydro-1,4-benzodioxin-5-yl)-1-piperazinyl] ethyl\}-2H-1,4-benzoxazin-3(4H)-one; \\$

6-{2-[4-(7-Bromo-2,3-dihydro-1,4-benzodioxin-5-yl)-1-piperazinyl]ethyl}-2H-1,4-benzoxazin-3(4H)-one;

 $8-\{4-[2-(3-0xo-3,4-dihydro-2\mathit{H-1},4-benzoxazin-6-yl)ethyl]-1-piperazinyl\}-2,3-dihydro-1,4-benzodioxin-6-carbonitrile; \\$

and pharmaceutically acceptable salts thereof.

- 13. (Currently Amended) A process for the preparation of a compound of formula (Ia) as defined in claim [[1]] 3 or a pharmaceutically acceptable salt thereof, which process comprises:
- (a) reacting a compound of formula (II):

wherein R1, R2, p and Z are as defined in formula (I), and L is a leaving group, with a compound of formula (III):

wherein A, R3,, X and q are as defined in formula (Ia); or

(b) the reduction and concominant concomitant cyclisation of a compound of formula (IV):

$$A - X \downarrow_{q} N - Z - \downarrow_{Q} OCH_{3}$$

$$(IV)$$

in which A, X, R3, ===== , q and Z are as defined in formula (Ia);

and optionally thereafter for each of process (a) or (b):

- removing any protecting groups, and/or
- converting a compound of formula (I) into another compound of formula (I), and/or
- forming a pharmaceutically acceptable salt.
- 14. (Canceled).
- 15. (Currently Amended) A pharmaceutical composition, which comprises [[a]] the compound of formula (I) or formula (Ia) as defined in claim [[1]] 3 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier or excipient.
- 16. (Currently Amended) A process for preparing [[a]] the pharmaceutical composition as defined in claim 15, the process comprising mixing [[a]] the compound of formula (I) or formula (Ia) as defined in claim [[1]] 3 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or excipient.

Claims 17-20 (Canceled).

- 14 -

- 21. (Currently Amended) A method of treatment of a serotonin-related disorder, comprising administering to a mammal in need thereof an safe and effective amount of [[a]] the compound or salt as defined in claim [[17]] 3.
- 22. (Original) The method as claimed in claim 21, wherein the disorder is depression or anxiety.